

10612269

## Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: SSSPTA1626KAS

PASSWORD :

TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 "Ask CAS" for self-help around the clock  
NEWS 3 JAN 27 Source of Registration (SR) information in REGISTRY updated and searchable  
NEWS 4 JAN 27 A new search aid, the Company Name Thesaurus, available in CA/CAplus  
NEWS 5 FEB 05 German (DE) application and patent publication number format changes  
NEWS 6 MAR 03 MEDLINE and LMEDLINE reloaded  
NEWS 7 MAR 03 MEDLINE file segment of TOXCENTER reloaded  
NEWS 8 MAR 03 FRANCEPAT now available on STN  
NEWS 9 MAR 29 Pharmaceutical Substances (PS) now available on STN  
NEWS 10 MAR 29 WPIFV now available on STN  
NEWS 11 MAR 29 New monthly current-awareness alert (SDI) frequency in RAPRA  
NEWS 12 APR 26 PROMT: New display field available  
NEWS 13 APR 26 IFIPAT/IFIUDB/IFICDB: New super search and display field available  
NEWS 14 APR 26 LITALERT now available on STN  
NEWS 15 APR 27 NLDB: New search and display fields available  
NEWS 16 May 10 PROUSDDR now available on STN  
NEWS 17 May 19 PROUSDDR: One FREE connect hour, per account, in both May and June 2004  
NEWS 18 May 12 EXTEND option available in structure searching  
NEWS 19 May 12 Polymer links for the POLYLINK command completed in REGISTRY  
NEWS 20 May 17 FRFULL now available on STN  
NEWS 21 May 27 STN User Update to be held June 7 and June 8 at the SLA 2004 Conference  
NEWS 22 May 27 New UPM (Update Code Maximum) field for more efficient patent SDIs in CAplus  
NEWS 23 May 27 CAplus super roles and document types searchable in REGISTRY  
NEWS 24 May 27 Explore APOLLIT with free connect time in June 2004  
  
NEWS EXPRESS MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS INTER General Internet Information  
NEWS LOGIN Welcome Banner and News Items  
NEWS PHONE Direct Dial and Telecommunication Network Access to STN  
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

Kamal Saeed

10612269

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \*

FILE 'HOME' ENTERED AT 15:31:11 ON 10 JUN 2004

=>

Uploading

THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE

Do you want to switch to the Registry File?

Choice (Y/n) :

Some commands only work in certain files. For example, the EXPAND command can only be used to look at the index in a file which has an index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of commands which can be used in this file.

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 15:31:26 ON 10 JUN 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 9 JUN 2004 HIGHEST RN 691352-46-2  
DICTIONARY FILE UPDATES: 9 JUN 2004 HIGHEST RN 691352-46-2

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:  
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

Uploading 10612269.str

L1 STRUCTURE uploaded


=> d

L1 HAS NO ANSWERS

L1 STR

Kamal Saeed

10612269



G1 C,N

Structure attributes must be viewed using STN Express query preparation.

=> s 11 full  
FULL SEARCH INITIATED 15:31:56 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 2066 TO ITERATE

100.0% PROCESSED 2066 ITERATIONS 19 ANSWERS  
SEARCH TIME: 00.00.01

L2 19 SEA SSS FUL L1

=> file caplus	SINCE FILE	TOTAL
COST IN U.S. DOLLARS	ENTRY	SESSION
FULL ESTIMATED COST	155.42	155.63

FILE 'CAPLUS' ENTERED AT 15:32:01 ON 10 JUN 2004  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is

Kamal Saeed

10612269

strictly prohibited.

FILE COVERS 1907 - 10 Jun 2004 VOL 140 ISS 24  
FILE LAST UPDATED: 9 Jun 2004 (20040609/ED)

This file contains CAS Registry Numbers for easy and accurate  
substance identification.

=> s 12  
L3 15 L2

=> d ibib abs hitstr tot

10612269

L3 ANSWER 1 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN  
 ACCESSION NUMBER: 2003:589504 CAPLUS  
 DOCUMENT NUMBER: 139:133561  
 TITLE: Environment friendly reagents and process for haloalkylsulfinylation of organic compounds  
 INVENTOR(S): Bertrand, Guy; Romanenko, Vadim D.; Raynier, Bernard; Derieu, Guy  
 PATENT ASSIGNEE(S): Virbac S.A., Fr.  
 SOURCE: Eur. Pat. Appl., 18 pp.  
 CODEN: EPXXDM  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1331222	A1	20030730	EP 2002-290184	20020128
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
WO 2003064384	A2	20030807	WO 2003-EP1515	20030128
WO 2003064384	A3	20031224		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, FR, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KB, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MR, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UN, US, UZ, VC, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.: EP 2002-290184 A 20020128  
 OTHER SOURCE(S): MARPAT 139:133561

AB RICO(R<sub>2</sub>CO)NS(O)R [R1R2 = optionally substituted or annulated C<sub>1</sub>-C<sub>20</sub>, line branched or cyclic alkanelidyl, alkenediyil, alkynediyil; R = (un)substituted alkyl] were prep'd. for use as haloalkylsulfinylating agents. Thus, lithiosuccinimide was treated with F<sub>3</sub>C<sub>2</sub>(O)Cl to give N-trifluoromethylsulfinylsuccinimide which was treated with 1-phenyl-3-methyl-5-aminopyrazole too give the 4-trifluoromethylsulfinyl deriv. in 82% yield.


IT 569337-28-6, 1-(2,4,6-Trichlorophenyl)-3-cyano-4-trifluoromethylsulfinyl-5-aminopyrazole

RL: SPN (Synthetic preparation); PREP (Preparation)  
 (prep'n. of trifluoromethylsulfinylsuccinimide as trifluoromethylsulfinylating agent)

RN 569337-28-6 CAPLUS

CN 1H-Pyrazole-3-carbonitrile, 5-amino-1-(2,4,6-trichlorophenyl)-4-[(trifluoromethyl)sulfinyl]- (9CI) (CA INDEX NAME)

L3 ANSWER 1 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

L3 ANSWER 2 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN  
 ACCESSION NUMBER: 2003:516853 CAPLUS  
 DOCUMENT NUMBER: 139:85341  
 TITLE: Method for preparation of new N-substituted derivatives of 5-amino-1-phenylpyrazole, the derivatives, and their use as parasiticidal and/or insecticidal agents  
 INVENTOR(S): Bertrand, Guy; Romanenko, Vadim D.; Raynier, Bernard; Derieu, Guy  
 PATENT ASSIGNEE(S): Virbac SA, Fr.  
 SOURCE: Fr. Demande, 87 pp.  
 CODEN: FRXXBL  
 DOCUMENT TYPE: Patent  
 LANGUAGE: French  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2834288	A1	20030704	FR 2001-17018	20011228
PRIORITY APPLN. INFO.:			FR 2001-17018	20011228
OTHER SOURCE(S): CASREACT 139:85341; MARPAT 139:85341 GI				

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*


AB The invention provides new derivs. of 5-amino-1-phenylpyrazoles, specifically I [wherein: A, B = H, (a)cyclic alk(en/yn)yl (optionally substituted by one or more halo, alkoxy, alkylthio, or alkoxycarbonyl), halo, cyano, thiocyanato, nitro, sulfamido, (di)alkylamino, aminecarbonyl, aminothiocarbonyl, (di)alkylaminocarbonyl, (di)alkylaminothiocarbonyl, alkylcarbonylamino, alkylthiocarbonylamino, S(O)R [n = 0, 1, or 2, and R = (a)cyclic, (un)satd. (halo)alkyl, Ph, phenylalkyl, or 4- to 7-membered heterocyclyl with 1-3 N/O/S/Si atom(s); R1, R2, R3, R4, and R5 = H, halo, (a)cyclic (un)satd. Cl-1-(halo)alkyl, (halo)alkoxy, or (halo)alkylthio; Z = -N:C:O, -N:S:O, -NHC(X)R6, -NHC(O)XR6, -NHC(S)XR6, -NHC(X)NR7R8; X = O or S; R6 = (un)substituted (a)cyclic alk(en/yn)yl, Ph, phenylalkyl, or heterocyclyl; R7, R8 = H, groups given for R6, dimeric unit of I; also Z = -N:C:N- forming a dimer of I; or Z = (un)substituted 1,2-thiazin-2-yl 1-oxide motif]. The invention also comprises processes for prep'n. of I from corresponding amines I [Z = NH<sub>2</sub>], typically via reaction of the amines with phosgene, thiophosgene, or thionyl chloride, and optionally reaction of the resultant I [Z = isocyanato, isothiocyanato, or N-sulfanylaminato (i.e., -N:S:O)]. Compds. I can be administered to vertebrates, particularly domesticated animals, either orally, topically, or parenterally. In general, I can be used to control both arthropods and nematodes which are parasites of both animals and plants, by application to either the hosts or their environments. Over 30 specific compds. were claimed per se. Examples (23) include synthesis, and both agrochem. and pharmaceutical formulations. For instance, the amine precursor II [Z = NH<sub>2</sub>] reacted with phosgene in anhyd. PhMe in the presence of 2 equiv pyridine to give II [Z = isocyanato] in 95% yield. Reaction of this isocyanate with 3,5-bis(trifluoromethyl)aniline gave title compd. III. Compds. I were against the stablefly Stomoxys calcitrans in a Petri dish expt., at dosages of 0.1 to 30. µm/g/fly. An

L3 ANSWER 2 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)  
 exemplar injection contained 18 I, 30% Et oleate, and sesame oil qsp 100%, and was sterilized by membrane filtration.

IT 554415-74-6, 1-(2,4,6-Trichlorophenyl)-3-cyano-4-[(trifluoromethyl)thio]-5-(N-sulfanylaminoo)pyrazole  
 RL: AGR (Agricultural use); IMP (Industrial manufacture); PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)  
 (drug candidate; prep'n. of aminophenylpyrazole derivs. as parasiticides and insecticides)  
 RN 554415-74-6 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile, 5-(sulfanylaminoo)-1-(2,4,6-trichlorophenyl)-4-[(trifluoromethyl)thio]- (9CI) (CA INDEX NAME)



IT 554415-70-2P, 1-(2,4,6-Trichlorophenyl)-3-cyano-4-[(trifluoromethyl)sulfinyl]-5-isocyanatopyrazole 554415-71-3P  
 RL: AGR (Agricultural use); IMP (Industrial manufacture); PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)  
 (drug candidate; prep'n. of aminophenylpyrazole derivs. as parasiticides and insecticides)  
 RN 554415-70-2 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile, 5-isocyanato-1-(2,4,6-trichlorophenyl)-4-[(trifluoromethyl)sulfinyl]- (9CI) (CA INDEX NAME)




RN 554415-71-3 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile, 5-isocyanato-1-(2,4,6-trichlorophenyl)-4-[(trifluoromethyl)thio]- (9CI) (CA INDEX NAME)

Kamal Saeed

10612269


L3 ANSWER 2 OF 15 CAPIUS COPYRIGHT 2004 ACS on STN (Continued)



REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L3 ANSWER 3 OF 15 CAPIUS COPYRIGHT 2004 ACS on STN  
ACCESSION NUMBER: 2002:107926 CAPIUS  
DOCUMENT NUMBER: 136:146526  
TITLE: Preparation of 1-phenylpyrazole derivatives as insecticides  
INVENTOR(S): Manning, David Treadway; Pilato, Michael; Wu, Tai-Teh;  
PATENT ASSIGNEE(S): Hawkins, David William  
SOURCE: Rhone-Poulenc Agrochimie, Fr.  
DOCUMENT TYPE: U.S. Pat. Appl. Publ., 17 pp.  
LANGUAGE: Patent  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2002016468	A1	20020207	US 1999-339176	19990624
PRIORITY APPLN. INFO.:			US 1999-339176	19990624
OTHER SOURCE(S):	MARPAT	136:146526		




AB The 1-arylpypyrazole-3-thiocarboxamide derivs. I (R1 = H or halo; R2, R4 = R1 or alkyl; R3 = halo, haloalkyl, haloalkoxy or R650m; R5 = alkyl, haloalkyl, alkenyl, alkynyl or cycloalkyl; R6 = alkyl or haloalkyl; Z = halo, alkyl, formyl, etc.; M = N, C-halo, C-Me, etc.; m, n = 0, 1 or 2) are prepd. as insecticides, esp. active against sucking insects.  
H, 146628-02-68  
IT RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
RN 146628-02-6 CAPIUS  
CN 1H-Pyrazole-3-carbonitrile, 5-amino-4-[(dichlorofluoromethyl)thio]-1-(2,4,6-trichlorophenyl)- (9CI) (CA INDEX NAME)

L3 ANSWER 4 OF 15 CAPIUS COPYRIGHT 2004 ACS on STN (Continued)



L3 ANSWER 4 OF 15 CAPIUS COPYRIGHT 2004 ACS on STN  
ACCESSION NUMBER: 1998:479512 CAPIUS  
DOCUMENT NUMBER: 129:95489  
TITLE: Preparation of pyridylpyrazole derivatives as pesticides  
INVENTOR(S): Manning, David Treadway; Pilato, Michael; Wu, Tai-Teh;  
PATENT ASSIGNEE(S): Hawkins, David William  
SOURCE: Rhone-Poulenc Agrochimie, Fr.; Wu, Tai-Teh; Hawkins, David William  
DOCUMENT TYPE: PCT Int. Appl., 52 pp.  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9828279	A1	19980702	WO 1997-EP7116	19971218
W: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, DE, GE, GW, HU, ID, IL, IS, JP, KP, KR, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TU, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BE, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9857598	A1	19980717	AU 1998-57598	19971218
AU 747450	B2	20020516		
EP 946487	A1	19991013	EP 1997-953851	19971218
R: AT, BE, CH, DE, DK, ES, FR, GR, IT, LI, LU, NL, SE, PT, IE, FI, RO				
CN 1242003	A	20000119	CN 1997-180937	19971218
BR 9714086	A	20000509	BR 1997-14086	19971218
JP 2001506665	T2	20010522	JP 1998-528351	19971218
AP 1004	A	20010828	AP 1999-1586	19971218
W: KE, SD, ZW				
MX 9905963	A	20000131	MX 1999-5963	19990623
BG 103592	A	20001130	BG 1999-103592	19990719
PRIORITY APPLN. INFO.:			US 1996-33885P	P 19961224
OTHER SOURCE(S):			WO 1997-EP7116	W 19971218



Kamal Saeed

10612269


L3 ANSWER 4 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)

**AB** The title compds. [I; W = C(:S)NH<sub>2</sub>; R<sub>1</sub> = H, halo; R<sub>2</sub>, R<sub>4</sub> = H, halo, alkyl; R<sub>3</sub> = halo, haloalkyl, etc.; R<sub>5</sub> = lower alkyl, haloalkyl, alkenyl, etc.; Z = H, halo, alkyl, etc.; n = 0-2; M = C-halo, C-Me, N, etc.] are prep'd. I are useful as pesticides. Thus, I (W = CN, R<sub>1</sub> = Cl, R<sub>2</sub> = R<sub>4</sub> = H, R<sub>3</sub> = CF<sub>3</sub>, R<sub>5</sub> = Me, Z = H, n = 0, M = C-Cl) was treated with 15-crown-5 in DMF and aq. sodium hydrosulfide to give the title compd. I (W = C(:S)NH<sub>2</sub>, R<sub>1</sub>-R<sub>5</sub>, Z = H, M same as above], which showed activity against *Aphis gossypii* and *Schizaphis graminum* at 10 ppm.

**IT** 146628-02-6P  
RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BICL (Biological study); PREP (Preparation); USES (Uses) (prepn. of pyridylpyrazole derivs. as pesticides)

**RN** 146628-02-6 CAPLUS

**CN** 1H-Pyrazole-3-carbonitrile, 5-amino-4-[(dichlorofluoromethyl)thio]-1-(2,4,6-trichlorophenyl)- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 5 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)

**AB** The title compds. [I; W = C(:S)NH<sub>2</sub>; R<sub>1</sub> = H, halo; R<sub>2</sub>, R<sub>4</sub> = H, halo, alkyl; R<sub>3</sub> = halo, haloalkyl, etc.; R<sub>5</sub> = lower alkyl, haloalkyl, alkenyl, etc.; Z = H, halo, alkyl, etc.; n = 0-2; M = C-halo, C-Me, N, etc.] are prep'd. I are useful as pesticides. Thus, I (W = CN, R<sub>1</sub> = Cl, R<sub>2</sub> = R<sub>4</sub> = H, R<sub>3</sub> = CF<sub>3</sub>, R<sub>5</sub> = Me, Z = H, n = 0, M = C-Cl) was treated with 15-crown-5 in DMF and aq. sodium hydrosulfide to give the title compd. I (W = C(:S)NH<sub>2</sub>, R<sub>1</sub>-R<sub>5</sub>, Z = H, M same as above], which showed activity against *Aphis gossypii* and *Schizaphis graminum* at 10 ppm.

**IT** 146628-02-6P  
RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BICL (Biological study); PREP (Preparation); USES (Uses) (prepn. of pyridylpyrazole derivs. as pesticides)


**RN** 146628-02-6 CAPLUS

**CN** 1H-Pyrazole-3-carbonitrile, 5-amino-4-[(dichlorofluoromethyl)thio]-1-(2,4,6-trichlorophenyl)- (9CI) (CA INDEX NAME)

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 839810	A1	19980506	EP 1997-119154	19971103
EP 839810	B1	20020925		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI				
AT 224878	E	20021015	AT 1997-119154	19971103
ES 2179254	T3	20030116	ES 1997-119154	19971103
JP 10158240	A2	19980616	JP 1997-302250	19971104
US 5922884	A	19990713	US 1997-963631	19971104
US 6107322	A	20000822	US 1998-216878	19981221
US 6242475	B1	20010605	US 2000-606185	20000629
US 2002002195	A1	20020103	US 2001-832861	20010412
US 6433002	B2	20020813		
US 37936	E	20021210	US 2001-903990	20010713
US 2002193411	A1	20021219	US 2002-152806	20020523
US 6608093	B2	20030819		

PRIORITY APPLN. INFO.: US 1996-30128P P 19961104  
US 1997-963631 A3 19971104  
US 1998-216878 A3 19981221  
US 2000-606185 A3 20000629  
US 2001-832861 A3 20010412

OTHER SOURCE(S): MARPAT 128:321643  
GI



**AB** The title compds. [I; X = N, CR<sub>2</sub>; Y = N, CR<sub>3</sub>; W = N, CR<sub>4</sub>; R<sub>2</sub>, R<sub>3</sub> = H, halo, OH, etc.; R<sub>4</sub> = H, halo, alkyl, etc.; R<sub>5</sub> = H, halo, CHO, etc.; Z = N, CR<sub>16</sub>; R<sub>12</sub>, R<sub>13</sub>, R<sub>15</sub>, R<sub>16</sub> = H, halo, alkyl, etc.; R<sub>22</sub>-R<sub>26</sub> = halo, alkyl, haloalkyl, etc., useful to control pests, were prep'd. Thus, reaction of 5-amino-3-cyano-1-(2,6-dichloro-4-bromophenyl)-4-

L3 ANSWER 5 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)

trifluoromethylthiopyrazole with 4-trifluoromethylphenylboronic acid in the presence of Pd<sub>2</sub>(dba)<sub>3</sub>, K<sub>2</sub>CO<sub>3</sub> in diglyme afforded I [X = N; Y = C(CN); W = C(SCF<sub>3</sub>); R<sub>5</sub> = NH<sub>2</sub>; Z = C(Cl); R<sub>12</sub> = Cl; R<sub>13</sub>, R<sub>15</sub>, R<sub>22</sub>, R<sub>23</sub>, R<sub>25</sub>, R<sub>26</sub> = H; R<sub>24</sub> = CF<sub>3</sub>]. The prep'd. compds. I showed rather good activity on *C. elegans*.

**IT** 207136-58-1  
RL: RCT (Reactant); RACT (Reactant or reagent) (prepn. of pesticidal 1-polyarylpypyrazoles)

**RN** 207136-58-1 CAPLUS

**CN** 1H-Pyrazole-3-carbonitrile, 5-amino-1-(4-bromo-2,6-dichlorophenyl)-4-[(trifluoromethyl)thio]- (9CI) (CA INDEX NAME)

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

FORMAT

L3 ANSWER 6 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)

**AB** The title compds. [I; X = N, CR<sub>2</sub>; Y = N, CR<sub>3</sub>; W = N, CR<sub>4</sub>; R<sub>2</sub>, R<sub>3</sub> = H, halo, OH, etc.; R<sub>4</sub> = H, halo, alkyl, etc.; R<sub>5</sub> = H, halo, CHO, etc.; Z = N, CR<sub>16</sub>; R<sub>12</sub>, R<sub>13</sub>, R<sub>15</sub>, R<sub>16</sub> = H, halo, alkyl, etc.; R<sub>22</sub>-R<sub>26</sub> = halo, alkyl, haloalkyl, etc., useful to control pests, were prep'd. Thus, reaction of 5-amino-3-cyano-1-(2,6-dichloro-4-bromophenyl)-4-

**IT** 207136-58-1  
RL: RCT (Reactant); RACT (Reactant or reagent) (prepn. of pesticidal 1-polyarylpypyrazoles)


**RN** 207136-58-1 CAPLUS

**CN** 1H-Pyrazole-3-carbonitrile, 5-amino-1-(4-bromo-2,6-dichlorophenyl)-4-[(trifluoromethyl)thio]- (9CI) (CA INDEX NAME)

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5556873	A	19960917	US 1993-169944	19931220
EP 811615	A1	19971210	EP 1996-108831	19960603
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE				
PRIORITY APPLN. INFO.: US 1993-21717 19930224 US 1993-169944 19931220				

OTHER SOURCE(S): MARPAT 125:240887  
GI



**AB** Novel 1-aryl-5-(substituted alkyl (thio)amido)pyrazoles wherein preferred compds. are of the formula (I) wherein: R is R<sub>6</sub>S(O)<sub>n</sub> in which n is 0, 1 or 2 and R<sub>6</sub> is alkyl, preferably methyl; or haloalkyl, preferably trihalomethyl or dihalomethyl; and in which halo is F, Cl or Br or combinations thereof and most preferably CF<sub>3</sub>, CCl<sub>3</sub>, CFCI<sub>2</sub>, CF<sub>2</sub>Br, CHF<sub>2</sub>, CHClF or CHCl<sub>2</sub>; R<sub>1</sub> is H or alkyl; R<sub>2</sub> is H or alkyl; R<sub>3</sub> and R<sub>4</sub> could be together to form a 3-7 membered cyclic ring system; R<sub>3</sub> is alkoxy, alkoxymethoxy, alkoxymethoxyb ([b=1-2], alkoxymethoxyb alkyl [b=0-2], alkylS(O)<sub>n</sub>c (c=0, 1, 2), alkylS(O)calkyl [c=0, 1, 2], alkyl-C(O)-; phenoxyl, PhS(O)c, phenylalkoxy, pyridylalkoxy, pyridyl-S(O)c, optionally substituted with alkyl, halogen, alkoxy, haloalkyl, haloalkoxy, nitro, cyano, alkylthio, R<sub>2</sub> and R<sub>3</sub> could be together to form a 4-7 membered cyclic ring with 1-2 heteroatoms (e.g. O, S, SO, SO<sub>2</sub>, NH, N-alkyl); R<sub>4</sub> is: hydrogen; alkyl, preferably methyl; or halogen, preferably F, Cl or Br; R<sub>5</sub> is: halogen, preferably F, Cl or Br; alkyl, preferably methyl; haloalkyl, preferably trihalomethyl and more preferably trifluoromethyl; or alkylalkoxy, preferably trihalomethoxy and more preferably trifluoromethoxy; and in


Kamal Saeed

10612269

L3 ANSWER 6 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)  
 which halo is F, Cl or Br or combinations thereof; and X is a nitrogen atom or C-R7 in which R7 is: hydrogen; halogen, preferably F, Cl or Br; cyano; alkyl, preferably Me or ethyl; alkylthio, preferably methylthio or ethylthio; or alkoxy, preferably methoxy or ethoxy and their use as pesticides esp. insecticides.

IT 181814-41-58  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)  
 (prepn. and pesticidal activity of 1-aryl-5-(substituted alkyl (thio) amido)pyrazoles)

RN 181814-41-5 CAPLUS  
 CN Acetamide, N-[3-cyano-1-(3,5-dichloro-2-pyridinyl)-4-((trifluoromethyl)thio)-1H-pyrazol-5-yl]-2-methoxy- (9CI) (CA INDEX NAME)



L3 ANSWER 7 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN  
 1995:229475 CAPLUS  
 122:239694  
 Pesticidal 1-aryl-5-(substituted alkylideneimino)pyrazoles  
 Huang, Jamin; Ayad, Hafez M.; Timmons, Philip R.  
 Rhone-Poulenc AG Co., USA  
 U.S., 24 pp. Cont.-in-part of U.S. Ser. No. 790,449, abandoned.

CODEN: USXXAM  
 Patent  
 English  
 FAMILY ACC. NUM. COUNT: 2  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5360910	A	19941101	US 1992-842431	19920304
US 5236938	A	19930817	US 1991-693580	19910430
CA 2067282	AA	19921031	CA 1992-2067282	19920427
AU 9215192	A1	19921105	AU 1992-15192	19920427
AU 655014	B2	19941201		
IL 101702	A1	19960331	IL 1992-101702	19920427
NO 9201639	A	19921102	NO 1992-1639	19920428
EP 511845	A1	19921104	EP 1992-303857	19920429
EP 511845	B1	20011031		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, PT, SE				
HU 61529	A2	19930128	HU 1992-1416	19920429
HU 213630	B	19970828		
PL 169737	B1	19960830	PL 1992-294383	19920429
RU 2088576	C1	19970827	RU 1992-5011630	19920429
AT 207904	E	20011115	AT 1992-303857	19920429
ES 2165353	T3	20020316	ES 1992-303857	19920429
PT 511845	T	20020429	PT 1992-303857	19920429
CN 1066265	A	19921118	CN 1992-103156	19920430
CN 1053659	B	20000621		
BR 9201735	A	19921124	BR 1992-1735	19920430
ZA 9203175	A	19930127	ZA 1992-3175	19920430
JP 05148240	A2	19930615	JP 1992-111958	19920430
JP 3248943	B2	20020121		
RO 107407	B1	19931130	RO 1992-598	19920430
SK 279252	B6	19980805	SK 1992-1337	19920430
CZ 286232	B6	20000216	CZ 1992-1337	19920430

PRIORITY APPLN. INFO.:  
 US 1991-693580 A2 19910430  
 US 1991-790449 B2 19911112  
 US 1992-842431 A 19920304  
 CS 1992-1337 A 19920430

OTHER SOURCE(S): MARPAT 122:239694

GI

L3 ANSWER 7 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)




AB The invention describes novel 1-aryl-5-(substituted alkylideneimino)pyrazole of formula (I) wherein typically preferred substituents are: R1 is cyano, nitro, or halogen; R2 is R95(O)n in which

n is 0, 1 or 2 and R9 is alkyl, preferably Me which is substituted by halogen atoms which are the same or different up to full substitution of the alkyl moiety; R3 is hydrogen or alkyl; R4 is Ph or heteroaryl, optionally substituted by one or more hydroxy, halogen, alkoxy, alkylthio, or combinations thereof; preferably R4 is Ph, which is at least substituted by 3-hydroxy or 4-hydroxy; R5 is hydrogen, alkyl or halogen; R6 and R8 are hydrogen; R7 is halogen, alkyl, haloalkyl or haloalkoxy; and X is a nitrogen atom or CR14 in which R14 is hydrogen, halogen, cyano, alkyl, alkylthio or alkoxy. The invention further describes processes to make the compds., compns. of the compds., and methods of use of the compds. for the control of arthropods (mites,

aphids or insects), nematodes, helminths, or protozoa. Pesticidal activity of I compds. providing 70-100% pest mortality was evaluated against buckthorn aphid, cotton aphid, southern armyworm, Mexican bean beetle, housefly, tobacco budworm, southern corn rootworm, western corn rootworm.

IT 145768-03-29  
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)  
 (pesticidal 1-aryl-5-(substituted alkylideneimino)pyrazoles)  
 RN 145768-03-2 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile,  
 1-(4-bromo-2,6-dichlorophenyl)-5-((4-hydroxy-3-methoxyphenyl)methylene)amino-4-((trifluoromethyl)thio)- (9CI) (CA INDEX NAME)

L3 ANSWER 7 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)



Kamal Saeed


10612269

L3 ANSWER 8 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN  
 ACCESSION NUMBER: 1994:527876 CAPLUS  
 DOCUMENT NUMBER: 121:127876  
 TITLE: Pesticidal 1-aryl-5-(substituted

*n*-cinnamylideneimino)

pyrazoles  
 INVENTOR(S): Huang, Jamin; Manning, David T.  
 PATENT ASSIGNEE(S): Rhone-Poulenc Inc., USA  
 SOURCE: U.S., 21 pp. Cont. of U.S. Ser. No. 71,163,  
 abandoned.  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5321040	A	19940614	US 1993-144262	19931028
PRIORITY APPLN. INFO.:			US 1993-71163	19930602
OTHER SOURCE(S):	CASREACT	121:127876; MARPAT 121:127876		
GI				



AB Novel 1-aryl-5-(substituted alkylideneimino)pyrazoles (I; R1 = cyano, nitro or halogen; R2 = unsubstituted or substituted R11S(O)n, in which n = 0, 1 or 2 and R11 = alkyl or haloalkyl; R3 = R9 = R10 = H; R4 = unsubstituted or substituted Ph or pyridyl; R5 = H, halogen or alkyl; R6 = R8 = H or F; R7 = halogen, alkyl, haloalkyl or haloalkoxy; X = N or C-R16 in which R16 = H, halogen, CN, alkyl, alkylthio or alkoxy) were prep'd.


and used for the control of arthropods (mites, aphids or insects), nematodes, helminths, or protozoa.

IT 157043-81-7P  
 RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses) (prep'n. of, as pesticide)

RN 157043-81-7 CAPLUS

CN 1H-Pyrazole-3-carbonitrile, 1-(4-bromo-2,6-dichlorophenyl)-5-[(3-(3-hydroxy-4-methoxyphenyl)-2-propenylidene)amino]-4-

L3 ANSWER 8 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)  
 [(trifluoromethyl)sulfinyl]- (9CI) (CA INDEX NAME)




L3 ANSWER 9 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN  
 ACCESSION NUMBER: 1994:298625 CAPLUS  
 DOCUMENT NUMBER: 120:298625  
 TITLE: Preparation of phenylpyrazoles as arthropodicides, nematocides, protozoacides, and anthelmintics  
 INVENTOR(S): Hatton, Leslie R.; Buntain, Ian G.; Hawkins, David W.;  
 Parnell, Edgar W.; Pearson, Christopher J.  
 PATENT ASSIGNEE(S): UK  
 SOURCE: U.S., 76 pp. Cont.-in-part of U.S. Ser. No. 445,153, abandoned.  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 4  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5232940	A	19930803	US 1990-520290	19900507
IL 86493	A1	19921115	IL 1988-86493	19880525
IL 105138	A1	19940826	IL 1988-105138	19880525
HU 210668	B	19950628	HU 1991-1577	19880610
US 5547974	A	19960820	US 1993-57669	19930505
FI 9501839	A	19950418	FI 1995-1839	19950418
US 5608077	A	19970304	US 1995-454412	19950530
US 5714191	A	19980203	US 1995-453087	19950530
US 5916618	A	19990629	US 1997-947056	19971007
US 6372774	B1	20020416	US 1999-354903	19990716
DK 200201527	A5	20021010	DK 2002-1527	20021010
PRIORITY APPLN. INFO.:		GB 1985-31485	A	19851220
		US 1986-943132	B1	19861218
		GB 1987-13768	A	19870612
		GR 1987-13769	A	19870612
		US 1988-205238	B1	19880610
		US 1988-205299	B1	19880610
		US 1989-380333	B1	19890717
		US 1989-413134	B1	19890927
		US 1989-445153	B2	19891205
		IL 1986-81025	A	19861218
		IL 1988-86492	A	19880525
		DK 1988-3140	L	19880609
		FI 1988-2735	A	19880609
		HU 1988-3009	A	19880610
		US 1990-520290	A3	19900507
		US 1993-57669	A3	19930505
		US 1995-453087	A1	19950530
		US 1996-652921	B1	19960524
		US 1997-855876	B3	19970512
		US 1998-137313	B3	19980821


OTHER SOURCE(S): MARPAT 120:298625  
 GI

L3 ANSWER 9 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)



AB Title compds. [I; R1 = cyano, nitro, halo, acetyl, formyl, (halo)alkyl, etc.; R2 = R'SO2, R'SO, R's, halo, cyano, nitro, cycloalkyl, alkenyl, thiocyanato, sulfamoyl, carbamoyl, alkoxy carbonyl, alkanoyl, (halo)alkyl, R' = (substituted) alkyl, alkenyl, alkynyl; R3 = H, (substituted) amino, alkoxy carbonyl, alkoxy methylene amine, halo, cycloalkyl, cycloalkyl carbonyl, alkylsulfenyl amino, trialkylsilyl methyl, etc.; R4-R8 = H, halo, nitro, cyano, (halo-substituted) alkyl, alkoxy, alkylthio, alkylsulfonyl, alkylsulfonyl], were prep'd. Thus, fuming nitric acid was added dropwise to 5-acetamido-3-bromo-1-(2,6-dichloro-4-trifluoromethylphenyl)pyrazole and acetic anhydride in acetic acid; the mixt. was stirred at 60.degree. for 5 h to give 5-acetamido-3-bromo-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-nitropyrazole. Several I were effective against *Plutella xylostella* larvae, all stages of *Megoura viciae*, and *Spodoptera littoralis* larvae.


IT 120115-83-5P  
 RL: SPN (Synthetic preparation); PREP (Preparation) (prep'n. of, as arthropodicide, nematocide, and anthelmintic)  
 RN 120115-83-5 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile, 5-amino-1-(2,4,6-trichlorophenyl)-4-[(trifluoromethyl)thio]- (9CI) (CA INDEX NAME)



Kamal Saeed

10612269

L3 ANSWER 10 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN  
 ACCESSION NUMBER: 1993:191618 CAPLUS  
 DOCUMENT NUMBER: 118:191618  
 TITLE: Reactions of bromotrifluoromethane and related halides. Part 12. Transformation of disulfides into perfluoroalkyl sulfides in the presence of sulfoxylate anion radical precursors  
 AUTHOR(S): Clavel, Jean Louis; Langlois, Bernard; Nantermet, Rinaldi, Tardieu, Marc; Wakselman, Claude  
 CORPORATE SOURCE: Rhone-Poulenc Rech., Cent. Rech. Carrières, Saint-Quentin 69192, Fr.  
 SOURCE: Journal of the Chemical Society, Perkin Transactions 1: Organic and Bio-Organic Chemistry (1972-1999) 1: (1992), (24), 3371-5  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 OTHER SOURCE(S): CASREACT 118:191618  
 GI




AB Perfluoroalkyl sulfides are prep'd. by reaction of perfluoroalkyl halides with disulfides in the presence of sulfoxylate anion radical precursors. Aliph., arom. and heteroarom. disulfides bearing cyano, ester and amino functional groups have been employed; a variety of perhaloalkanes can also be employed, e.g., CF<sub>3</sub>(CF<sub>2</sub>)nI, CF<sub>3</sub>Br, CF<sub>2</sub>Br<sub>2</sub>, CF<sub>2</sub>BrCl, CFCl<sub>3</sub> and CF<sub>2</sub>ClFCl<sub>2</sub>. The most convenient sulfoxylate anion radical precursor for this reaction is formed by a combination of sodium formate and sulfur dioxide. Thus, reaction of pyrazolyli disulfide I with HCOONa and SO<sub>2</sub> in DMF at 60°, and 12-13 bar for 4 h in an autoclave afforded perfluoroalkyl sulfide II in 85% yield. Also, reaction of PhSSPh with CF<sub>2</sub>BrCl and Rongalite (sodium hydroxymethanesulfinate) in DMF-H<sub>2</sub>O at 1.7 bar and 20°, for 6 h afforded PhSCF<sub>2</sub>Cl in 72% yield.

IT 130755-50-9  
 RL: RCT (Reactant or reagent)  
 (haloalkylation of, haloalkyl sulfide from)


RN 130755-50-9 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile, 4,4'-dithiobis(5-amino-1-(2,4,6-trichlorophenyl)- (9CI) (CA INDEX NAME)

L3 ANSWER 10 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)

PAGE 1-A



PAGE 2-A



IT 120115-83-5P 130755-40-5P 130755-51-0P

RL: SPN (Synthetic preparation); PREP (Preparation)


(prep'n, of)

RN 120115-83-5 CAPLUS


CN 1H-Pyrazole-3-carbonitrile, 5-amino-1-(2,4,6-trichlorophenyl)-4-

[(trifluoromethyl)thio]- (9CI) (CA INDEX NAME)


L3 ANSWER 10 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)




RN 130755-48-5 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile,  
 5-amino-4-[(bromodifluoromethyl)thio]-1-(2,4,6-trichlorophenyl)- (9CI) (CA INDEX NAME)



RN 130755-51-0 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile, 5-amino-4-[(bromochlorofluoromethyl)thio]-1-(2,4,6-trichlorophenyl)- (9CI) (CA INDEX NAME)



RN 146628-02-6 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile, 5-amino-4-[(dichlorofluoromethyl)thio]-1-(2,4,6-trichlorophenyl)- (9CI) (CA INDEX NAME)




L3 ANSWER 11 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1993:101949 CAPLUS  
 DOCUMENT NUMBER: 118:101949  
 TITLE: Preparation of 1-aryl-5-(arylklylideneimino)pyrazoles as pesticides  
 INVENTOR(S): Huang, Jamin; Ayad, Hafez Mohamed; Timmons, Philip Reid  
 PATENT ASSIGNEE(S): Rhone-Poulenc Agrochimie, Fr.  
 SOURCE: Eur. Pat. Appl., 55 pp.  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 2  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 511845	A1	19921104	EP 1992-303857	19920429
EP 511845	B1	20011011		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, PT, SE				
US 5236938 A 19930817			US 1991-693580	18910430
US 5360910 A 19941101			US 1992-842431	18920304
RU 2088576 C1 19970927			RU 1992-5011630	18920429
ZA 9203175 A 19930127			ZA 1992-3175	18920430
CZ 286232 B6 20000216			CZ 1992-1337	18920430
PRIORITY AFPLN. INFO.:			US 1991-693580 A	18910430
			US 1991-790449 A	18911112
			US 1992-842431 A	18920304
			CS 1992-1337 A	18920430

OTHER SOURCE(S): MARPAT 118:101949

GI




AB Title compds. [I; R<sub>1</sub> = cyano, O<sub>2</sub>N, halo, CHO, (cyclo)alkylicarbonyl; R<sub>2</sub> = halo, (halo)alkyl, (halo)alkoxy, NO<sub>2</sub>, SCN, (substituted) sulfamoyl, carbamoyl, alkoxy carbonyl, R<sub>3</sub>SOn; R<sub>9</sub> = (halo) (cyclo)alkyl, cycloalkylidene; n = 0-2; R<sub>3</sub> = H, alkyl, alkoxy, alkylthio, alkylamino; R<sub>4</sub> = (substituted) heteroaryl, Ph; R<sub>5</sub> = H, halo, alkyl; R<sub>6</sub>, R<sub>8</sub> = H, F; R<sub>7</sub> = (halo)alkyl, (halo)alkoxy, cyano, NO<sub>2</sub>, (halo)alkylicarbonyl, QSON; Q = (halo)alkyl; X = N, CR<sub>14</sub> wherein R<sub>14</sub> = H, halo, cyano, NO<sub>2</sub>, alkyl alkylthio; X = N, CR<sub>14</sub> wherein R<sub>14</sub> = H, halo, cyano, NO<sub>2</sub>, alkyl alkylthio], were prep'd. Thus, a mixt. of 5-amino-1-(2,6-dichloro-4-trifluoromethylphenyl)-3-cyano-4-trifluoromethylsulfonylpyrazole, 4-hydroxy-3-methoxybenzaldehyde, and p-toluenesulfonic acid were refluxed 40 h in PhMe with removal of H<sub>2</sub>O to give 85% title compd. II. Numerous I

Kamal Saeed

10612269

L3 ANSWER 11 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)  
 as 100 ppm foliar or bait applications gave 70-100% kill of *Spodoptera eridania*, *Epilachna varivestis*, *Musca domestica*, and *Heliothis virescens*.  
 IT 145768-03-28  
 RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BTOL (Biological study); PREP (Preparation); USES (Uses) (prep. of, as pesticide)  
 RN 145768-03-2 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile, 1-(4-bromo-2,6-dichlorophenyl)-5-[(4-hydroxy-3-methoxyphenyl)methylene]amino)-4-[(trifluoromethyl)thio]- (9CI) (CA INDEX NAME)




L3 ANSWER 12 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN  
 1992:634010 CAPLUS  
 ACCESSION NUMBER: 117:234010  
 DOCUMENT NUMBER:  
 TITLE: Preparation of 1-(2-pyridyl)pyrazoles as pesticides  
 INVENTOR(S): Phillips, Jennifer Lantz; Timmons, Philip Reid; Powell, Gail Scotton; Pilato, Michael Thomas; Chou, David Teh Wei; Huang, Janin  
 PATENT ASSIGNEE(S): Rhone-Poulenc Agrochimie, Fr.  
 SOURCE: Eur. Pat. Appl., 64 pp.  
 CODEN: EPXXDW  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 500209	A1	19920826	EP 1992-300467	19920120
EP 500209	B1	19970917		
NO 9200097	A	19920720	NO 1992-97	19920108
NO 179282	B	19966063		
NO 179282	C	19966091		
CA 2059088	AA	19920719	CA 1992-2059088	19920109
CA 2059088	C	20020618		
AU 9210251	A1	19930128	AU 1992-10251	19920115
AU 644259	B2	19931202		
BR 9200219	A	19921006	BR 1992-219	19920116
IL 100678	A1	199660119	IL 1992-100678	19920116
CZ 281976	B6	19970416	CZ 1992-130	19920116
FI 9200221	A	19920719	FI 1992-221	19920117
JP 05086054	A2	19930406	JP 1992-44353	19920117
JP 3140829	B2	20010205		
HU 62571	A2	19930528	HU 1992-170	19920117
HU 208534	B	19931129		
RO 109940	B1	19950728	RO 1992-149204	19920117
PL 168730	B1	199660329	PL 1992-293228	19920117
RU 2088580	C1	19970827	RU 1992-5010813	19920117
CN 1063283	A	19920805	CN 1992-100330	19920118
CN 1041269	B	19981223		
RT 158290	E	19971015	RT 1992-300467	19920120
ES 2106821	T3	19971116	ES 1992-300467	19920120
US 5306694	A	19940426	US 1993-79221	19930617
CN 1208036	A	19990217	CN 1998-106376	19980408
CN 1103771	B	20030326		

PRIORITY APPLN. INFO.: US 1991-643530 A 19910118  
 OTHER SOURCE(S): MARPAT 117:234010  
 GI

L3 ANSWER 12 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)



L3 ANSWER 12 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)



AB Title compds. [I; X = halo, NO<sub>2</sub>, (halo-substituted) alkylsulfonyl, alkylsulfinyl, alkylsulfonyl; Y = H, halo, cyano, alkylsulfonyl, alkylsulfinyl, alkylsulfonyl, alkoxyl, (di)alkylamino, trialkylammonium, cyanoalkylamino, alkoxyalkylamino, alkoxycarbonylamino, (halo)alkylcarbonylamino, (di)alkylaminocarbonylamino, alkoxyalkylideneimino; 2 = halo, cyano; R<sup>2</sup>-R<sup>5</sup> = H, halo, (halo)alkyl, (halo)alkoxy, cyano, NO<sub>2</sub>; gtoeq.1 of R<sup>2</sup>-R<sup>5</sup> H, were prep'd. as insecticides, miticides, anthelmintics, protozoacides, and nematocides. Thus, NC(H)CO<sub>2</sub>Et in ice water was treated with dil. H<sub>2</sub>SO<sub>4</sub> to give crude ketoester, which was refluxed with 2-hydrazino-3-chloro-5-trifluoromethylpyridine and NaHCO<sub>3</sub> in EtOH to give 1-[2-(3-chloro-5-trifluoromethyl)pyridyl]-3-ethoxycarbonyl-5-aminopyrazole. This was condensed with ClF<sub>2</sub>SCl in AcOH and the product was amidated with dimethylaluminum amide followed by dehydration with POC<sub>13</sub> to give title compds. II. Numerous I as 100 ppm foliar or bait applications gave 70-100% control of *Aphis nasturtii*, *Spodoptera eridonia*, *Epilochna varivestis*, etc.

IT 144292-76-29 144292-89-79  
 RL: SPN (Synthetic preparation); PREP (Preparation) (prep. of, as arthropocide, nematocide, anthelmintic, and protozoacide)  
 RN 144292-76-2 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile, 5-amino-1-(3,5-dichloro-2-pyridinyl)-4-[(trifluoromethyl)thio]- (9CI) (CA INDEX NAME)

RN 144292-89-7 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile, 5-amino-1-(3,5-dichloro-2-pyridinyl)-4-[(methylthio)- (9CI) (CA INDEX NAME)


Kamal Saeed

10612269

L3 ANSWER 13 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN  
 ACCESSION NUMBER: 1991:429320 CAPLUS  
 DOCUMENT NUMBER: 115:29320  
 TITLE: N-phenylpyrazole derivatives as insecticides  
 INVENTOR(S): Robert, David Alan; Hawkins, David William; Buntain, Ian; George, McGuire, Ross  
 PATENT ASSIGNEE(S): Rhone-Poulenc Agriculture Ltd., UK  
 SOURCE: Eur. Pat. Appl., 18 pp.  
 CODEN: EPXXDW  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 418016	A1	19910320	EP 1990-309882	19900910
EP 418016	B1	19950503		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE				
ZA 9006802	A	19911127	ZA 1990-6802	19900827
NO 9003908	A	19910312	NO 1990-3908	19900907
AU 9062312	A1	19910314	AU 1990-62312	19900907
AU 649230	B2	19940519		
CA 2024955	AA	19910312	CA 1990-2024955	19900910
HU 54868	A2	19910429	HU 1990-5850	19900910
HU 208231	B	19930928		
CN 1053233	A	19910724	CN 1990-107675	19900910
BR 9004697	A	19910910	BR 1990-4697	19900910
DD 297641	A5	19920116	DD 1990-343914	19900910
RO 107255	B1	19930110	RO 1990-145905	19900910
PL 163642	B1	19940429	PL 1990-286822	19900910
AT 122038	E	19950515	AT 1990-309882	19900910
CZ 279476	B6	19930517	CZ 1990-4387	19900910
ES 207177	T3	19930701	ES 1990-309882	19900910
JP 03118369	A2	19910520	JP 1990-241032	19900911
JP 3100053	B2	20001016		

PRIORITY APPLN. INFO.: GB 1989-20521 A 19890911  
 OTHER SOURCE(S): MARPAT 115:29320  
 GI



L3 ANSWER 13 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)

AB The title compds. (I; A = iodo, Br, H, NH<sub>2</sub>; m = 1, 2; n = 0, 1, 2), useful for controlling arthropod, plant nematode, helminth, or protozoal pests, are prep'd. Thus, a soln. of I [A = NH<sub>2</sub>, F<sub>3</sub>-mClmCS(O)n = CHClF2S] in dry THF was added to tert-BuONO<sub>2</sub> at room temp. and the mixt. was stirred 3 days at room temp. to give I [A = H, F<sub>3</sub>-mClmCS(O)n = CHClF2S]. I at 1.10req. 500 ppm gave 60% mortality against the larvae of Plutella xylostella.  
 IT 120115-83-5P  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (prep. of, as intermediate for pesticidal phenylpyrazole)  
 RN 120115-83-5 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile, 5-amino-1-(2,4,6-trichlorophenyl)-4-((trifluoromethyl)thio)- (9CI) (CA INDEX NAME)



L3 ANSWER 14 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN  
 ACCESSION NUMBER: 1991:5483 CAPLUS  
 DOCUMENT NUMBER: 114:5483  
 TITLE: Preparation of perhaloalkyl thioethers from disulfides  
 INVENTOR(S): Clavel, Jean Louis; Langlois, Bernard; Nantermet, Roland; Tordeux, Marc; Wakselman, Claude  
 PATENT ASSIGNEE(S): Rhone-Poulenc Agrochimie, Fr.  
 SOURCE: Eur. Pat. Appl., 20 pp.  
 CODEN: EPXXDW  
 DOCUMENT TYPE: Patent  
 LANGUAGE: French  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 374061	A1	19900620	EP 1989-420489	19891212
EP 374061	B1	19940615		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
FR 2640264	A1	19900615	FR 1988-16710	19881213
FR 2640264	B1	19910125		
FR 2652810	A1	19910412	FR 1989-13371	19891009
FR 2652810	B1	19930730		
CA 2004776	AA	19900613	CA 1989-2004776	19891206
CA 2004776	C	20000425		
IL 92639	A1	19961016	IL 1989-92639	19891211
DK 8906265	A	19900614	DK 1989-6265	19891212
AU 8946164	A1	19900621	AU 1989-46164	19891212
AU 640621	B2	19930902		
HU 55738	A2	19910628	HU 1989-6508	19891212
HU 206661	B	19921228		
US 5082945	A	19920121	US 1989-448983	19891212
ES 2055145	T3	19940816	ES 1989-420489	19891212
RU 2045517	Cl	19951010	RU 1989-4742646	19891212
FI 95568	B	19951115	FI 1989-5938	19891212
FI 95568	C	19960226		
CZ 282729	B6	19970917	CZ 1989-7022	19891212
CN 1043499	A	19900704	CN 1989-109370	19891213
CN 1032201	B	19960703		
JP 02204477	A2	19900814	JP 1989-323662	19891213
JP 2746707	B2	19980506		
BR 8906521	A	19900828	BR 1989-6521	19891213
ZA 8909519	A	19910828	ZA 1989-9519	19891213
US 5283337	A	19940201	US 1991-789332	19911108

PRIORITY APPLN. INFO.: FR 1988-16710 A 19881213  
 FR 1989-13371 A 19891009  
 US 1989-448983 A3 19891212


OTHER SOURCE(S): MARPAT 114:5483  
 GI

L3 ANSWER 14 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)



AB Perhaloalkyl thioethers are prep'd. by reaction of disulfides with perfluoroalkyl halides and reducing agents formed from (a) SO<sub>2</sub> and either Zn, Cd, Al, or Mn, or (b) an alkali metal dithionite, or (c) an alkali metal, alk. earth, or other metal hydroxymethanesulfinate, or (d) a formate and SO<sub>2</sub>. For example, reaction of Ph<sub>2</sub>S with Na dithionite and CF<sub>3</sub>Br(g) in aq. DMF contg. Na<sub>2</sub>HPo<sub>4</sub> at 20 degree. gave 65% PhSCF<sub>3</sub>. Pyrazole deriv. I was similarly prep'd. using SO<sub>2</sub> and Na formate with 95% conversion and 90% yield. Various aliph., arom., and pyrazole-derived thioethers were prep'd.; yields ranged from 6 to 93%.

IT 130755-49-6P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (prep. and hydrolysis-dimerization of)  
 RN 130755-49-6 CAPLUS  
 CN Thiocyanic acid,  
 5-amino-3-cyano-1-(2,4,6-trichlorophenyl)-1H-pyrazol-4-yl ester (9CI) (CA INDEX NAME)




IT 130755-50-9P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (prep. and reaction of, with fluoroalkyl halides and reducing agents)  
 RN 130755-50-9 CAPLUS  
 CN 1H-Pyrazole-3-carbonitrile, 4,4'-dithiobis(5-amino-1-(2,4,6-trichlorophenyl)- (9CI) (CA INDEX NAME)

Kamal Saeed

10612269


L3 ANSWER 14 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN

(Continued)




PAGE 1-A


L3 ANSWER 14 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)




RN 130755-51-0 CAPLUS  
CN 1H-Pyrazole-3-carbonitrile, 5-amino-4-[(bromochlorofluoromethyl)thio]-1-(2,4,6-trichlorophenyl)- (9CI) (CA INDEX NAME)



IT 130755-52-1P 131960-95-7P  
RL: SBN (Synthetic preparation); PREP (Preparation)  
(prepn. of, via reaction of disulfide with reducing agent and  
fluoroalkyl halide)  
RN 130755-52-1 CAPLUS  
CN 1H-Pyrazole-3-carbonitrile,  
5-amino-4-[(bromochlorofluoromethyl)sulfonyl]-  
1-(2,4,6-trichlorophenyl)- (9CI) (CA INDEX NAME)



PAGE 2-A



RN 131960-95-7 CAPLUS  
CN 1H-Pyrazole-3-carbonitrile,  
5-amino-4-[(bromochlorofluoromethyl)sulfinyl]-  
1-(2,4,6-trichlorophenyl)- (9CI) (CA INDEX NAME)


IT 130755-48-5P 130755-51-0P

RL: SBN (Synthetic preparation); PREP (Preparation)  
(prepn. of, by reaction of disulfide with fluoroalkyl halide and  
reducing agent)

RN 130755-48-5 CAPLUS

CN 1H-Pyrazole-3-carbonitrile,  
5-amino-4-[(bromodifluoromethyl)thio]-1-(2,4,6-  
trichlorophenyl)- (9CI) (CA INDEX NAME)

L3 ANSWER 14 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)



L3 ANSWER 15 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN  
ACCESSION NUMBER: 1990:35845 CAPLUS  
DOCUMENT NUMBER: 112:35845  
TITLE: N-phenylpyrazole derivatives as pesticides for  
plants, animals, and man, and their preparation,  
compositions, and use  
INVENTOR(S): Buntain, Ian George; Hatton, Leslie Roy; Hawkins,  
David William; Pearson, Christopher John; Roberts,  
David Alan  
PATENT ASSIGNEE(S): May and Baker Ltd., UK  
SOURCE: Eur. Pat. Appl., 40 pp.  
CODEN: EPXXDW  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 4  
PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 295117	A1	19881214	EP 1988-305306	19880610
EP 295117	B1	20000405		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
IL 86492	A1	19930708	IL 1988-86492	19880525
IL 105138	A1	19940826	IL 1988-105138	19880525
DK 8803140	A	19881213	DK 1988-3140	19880609
FI 8802735	A	19881213	FI 1988-2735	19880609
NO 8802551	A	19881213	NO 1988-2551	19880609
NO 175367	B	19940627		
NO 175367	C	19941005		
AU 8817554	A1	19881215	AU 1988-17554	19880609
AU 618266	B2	19911219		
RO 100612	B1	19920707	RO 1988-133912	19880609
RO 106496	B1	19930531	RO 1988-144353	19880609
JP 63316771	A2	19881226	JP 1988-143451	19880610
ZA 8804179	A	19890222	ZA 1988-4179	19880610
HU 48875	A2	19890728	HU 1988-3009	19880610
HU 203729	B	19910930		
PL 153478	B1	19910430	PL 1988-272998	19880610
CA 1330089	A1	19940607	CA 1988-569272	19880610
HU 210668	B	19950628	HU 1991-1577	19880610
SK 278972	B6	19980506	SK 1988-4052	19880610
CZ 285151	B6	19990512	CZ 1988-4052	19880610
EP 967206	A1	19991229	EP 1999-113797	19880610
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
AT 191479	E	20000415	AT 1988-305306	19880610
ES 2144390	T3	20000616	ES 1988-305306	19880610
CN 88103601	A	19881228	CN 1988-103601	19880611
CN 1027341	B	19950111		
KR 9701475	B1	19970206	KR 1988-7045	19880611
BR 8803258	A	19890131	BR 1988-3258	19880613
DD 281744	A5	19900822	DD 1988-316723	19880613
DD 281744	B5	19970220		
RU 2051909	C1	19960110	RU 1991-4894762	19910315
FI 9501839	A	19950418	FI 1995-1839	19950418
HK 1005289	A1	20010209	HK 1998-102258	19980318
GR 3033663	T3	20001031	GR 2000-401350	20000614
DK 200201527	A5	20021010	DK 2002-1527	20021010
PRIORITY APPLN. INFO.:			GB 1987-13768	A 19870612

Kamal Saeed

10612269

L3 ANSWER 15 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)  
IL 1988-86492 A 19880525  
DK 1988-3140 L 19880609  
FI 1988-2735 A 19880609  
EP 1988-305306 A3 19880610  
HU 1988-3009 A 19880610

OTHER SOURCE(S): MARPAT 112:35845  
GI



AB The title compds. [I; R1 = cyano, NO<sub>2</sub>, halo, Ac, CHO; R2 = R<sub>3</sub>S(O)n where

n = 0, 1, or 2; R5 = (.itoreq.1 halo-substituted) straight- or branched-chain .itoreq.4 alkyl, alkenyl, or alkynyl; R3 = H, NR6R7, halo, straight- or branched-chain C2-5 alkoxymethyleneamino (un)substituted on methylene by a straight- or branched-chain Cl-4 alkyl, alkenylalkyl, or alkynylalkyl, CHO, (.itoreq.1 halo-substituted) straight- or branched-chain C2-5 alkanoyl or alkoxy carbonyl, or NR6R7 = 5- or 6-membered cyclic imido; R4 = 2- or 6-halo- or 4-straight- or branched-chain (Cl- or Br-substituted) alkyl- or alkoxy-substituted phenyl; With the exclusion of the compd. wherein R1 = cyano, R2 = MesO<sub>2</sub>, R3 = NH<sub>2</sub> and R4 = 2,6,4-C12(CF<sub>3</sub>)C6H<sub>2</sub>], useful for control of arthropod, plant nematode, helminth and protozoan pests (no data except insects), were prep'd. A stirred soln. of 20 g 5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)pyrazole in CH<sub>2</sub>Cl<sub>2</sub> was treated dropwise with a


soln. of 10.8 g CF<sub>3</sub>SCl in CH<sub>2</sub>Cl<sub>2</sub> during 1 h. The resulting soln. was stirred overnight at room temp. to give 24.2 g 5-amino-3-cyano-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-trifluoromethylthiopyrazole (II). I at <500 ppm caused at least 65% mortality against *Plutella xylostella* larvae. A water-sol. conc. was formulated from II 7. Ethylan BCP 10% w/v and N-methylpyrrolidone 1004 by vol.

IT 120069-19-4  
RL: RCT (Reactant); RACT (Reactant or reagent)  
(oxidn. of)

RN 120069-19-4 CAPLUS

CN 1H-Pyrazole-3-carbonitrile, 5-amino-1-(2,4,6-trichlorophenyl)-4-((trifluoromethylthio)- (9CI) (CA INDEX NAME)


L3 ANSWER 15 OF 15 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)



IT 120115-83-5P  
RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SDN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses) (prepn. of, as pesticide)

RN 120115-83-5 CAPLUS

CN 1H-Pyrazole-3-carbonitrile, 5-amino-1-(2,4,6-trichlorophenyl)-4-((trifluoromethylthio)- (9CI) (CA INDEX NAME)



10612269

=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:y

COST IN U.S. DOLLARS

	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	72.22	227.85

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-10.40	-10.40

STN INTERNATIONAL LOGOFF AT 15:33:08 ON 10 JUN 2004